

# Source Pathway - Source Inputs

AERMOD

## Point Sources

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P100	1858.33	2540.23	130.31	26.00	0.00E+0	293.00	34.83	0.26
POINT	P101	1812.21	2722.33	127.64	14.00	0.00E+0	293.00	1.46	0.39
POINT	P102	1802.31	2690.88	127.51	14.00	0.00E+0	293.00	1.07	0.39
POINT	P103	1804.31	2693.99	127.47	14.00	0.00E+0	293.00	1.76	0.39
POINT	P104	1973.96	2364.74	135.07	30.00	0.00E+0	293.00	11.76	0.57
POINT	P105	1861.01	2538.33	130.33	26.00	0.00E+0	293.00	1.59	1.40
POINT	P106	1965.14	2331.10	135.57	32.00	0,03250	293.00	9.92	0.28
POINT	P107	1963.62	2327.04	135.64	32.00	0,00411	293.00	9.92	0.28
POINT	P108	1929.33	2320.40	135.34	42.00	0,10560	293.00	19.11	3.14
POINT	P109	1784.64	2538.99	129.44	5.00	0.00E+0	293.00	12.99	0.38
POINT	P110	1519.78	2412.08	128.56	5.00	0.00E+0	293.00	11.67	0.50
POINT	P111	1513.54	2403.34	128.59	5.00	0.00E+0	293.00	11.67	0.50

# Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P112	1477.32	2314.69	129.38	12.00	0.00E+0	293.00	13.33	0.50
POINT	P113	1482.32	2309.07	129.35	12.00	0.00E+0	293.00	13.33	0.50
POINT	P114	1906.47	2282.09	135.67	28.00	0,00917	293.00	11.60	0.79
POINT	P115	1913.28	2277.83	135.89	28.00	0.00E+0	293.00	11.60	0.79
POINT	P116	1887.62	2238.29	134.95	22.00	0,00583	293.00	11.67	0.50
POINT	P117	1894.38	2232.24	134.98	22.00	0.00E+0	293.00	11.67	0.50
POINT	P118	1730.69	2610.39	126.67	1.00	0.00E+0	293.00	0.00	0.03
POINT	P119	1732.54	2613.34	126.74	1.00	0.00E+0	293.00	0.00	0.03
POINT	P120	1734.02	2616.30	126.75	1.00	0.00E+0	293.00	0.00	0.03
POINT	P121	1506.02	2482.61	127.15	3.00	0.00E+0	293.00	0.00	0.01
POINT	P122	1507.60	2484.55	127.06	3.00	0.00E+0	293.00	0.00	0.01
POINT	P123	1509.01	2486.13	127.00	3.00	0.00E+0	293.00	0.00	0.01
POINT	P124	1511.47	2488.95	126.89	3.00	0.00E+0	293.00	0.00	0.01

# Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P125	1899.14	2255.53	135.53	44.00	0,11840	293.00	25.48	3.14
POINT	P126	1806.97	2696.65	127.48	14.00	0.00E+0	293.00	1.96	0.38
POINT	P127	1808.97	2698.64	127.49	14.00	0.00E+0	293.00	1.62	0.50
POINT	P128	1812.07	2701.75	127.54	14.00	0.00E+0	293.00	1.62	0.50
POINT	P129	1814.29	2703.97	127.58	14.00	0.00E+0	293.00	1.44	0.50
POINT	P130	1816.95	2706.85	127.61	14.00	0.00E+0	293.00	0.70	0.85
POINT	P131	1472.21	2015.82	132.96	9.00	0.00E+0	293.00	21.57	0.85
POINT	P132	1755.87	2181.36	134.27	8.00	0,00417	293.00	14.88	0.28
POINT	P133	1760.62	2178.07	134.49	8.00	0.00E+0	293.00	14.88	0.28
POINT	P134	1730.18	1898.45	136.32	24.80	0.00E+0	293.00	14.81	0.45
POINT	P135	1733.29	1895.03	136.44	25.80	0.00E+0	293.00	14.81	0.45
POINT	P136	1679.40	1934.90	135.01	23.75	0.00E+0	293.00	14.44	0.75
POINT	P137	1684.07	1931.79	135.05	23.75	0.00E+0	293.00	14.44	0.75

# Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P138	1687.19	1928.98	135.09	23.75	0.00E+0	293.00	14.44	0.75
POINT	P139	1265.54	1902.72	134.65	11.00	0.00E+0	293.00	14.44	0.75
POINT	P140	1272.77	1897.52	134.81	11.00	0.00E+0	293.00	14.44	0.75
POINT	P141	1279.54	1889.85	135.05	11.00	0.00E+0	293.00	14.44	0.75
POINT	P142	1468.69	2108.44	132.51	31.00	0.00E+0	293.00	0.00	0.51
POINT	P143	1471.92	2105.80	132.48	31.00	0.00E+0	293.00	0.00	0.51
POINT	P144	1474.27	2103.16	132.46	31.00	0.00E+0	293.00	0.00	0.79
POINT	P145	1459.90	2114.01	132.49	31.00	0.00E+0	293.00	0.00	0.79
POINT	P146	1457.55	2115.18	132.49	31.00	0.00E+0	293.00	0.00	0.79
POINT	P147	1681.00	2076.01	134.77	26.00	0.06000	293.00	17.34	3.46
POINT	P148	2035.57	2410.11	134.55	22.00	0.00156	293.00	13.98	1.11
POINT	P149	2025.03	2410.22	134.29	22.00	0.00156	293.00	13.98	1.11
POINT	P150	2049.69	2391.04	135.34	11.00	0.00078	293.00	12.23	0.64

# Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P151	2048.59	2387.75	135.38	11.00	0,00078	293.00	12.23	0.64
POINT	P152	2009.68	2384.46	134.81	22.00	0,00061	293.00	10.90	0.56
POINT	P153	2006.39	2379.53	134.94	22.00	0,00061	293.00	10.90	0.56
POINT	P154	2043.11	2379.53	135.47	11.00	0,00058	293.00	15.16	0.38
POINT	P155	2040.92	2376.24	135.50	11.00	0,00058	293.00	15.16	0.38
POINT	P156	1998.72	2371.86	135.15	22.00	0.00E+0	293.00	11.24	1.11
POINT	P157	1995.43	2367.47	135.25	22.00	0.00E+0	293.00	11.24	1.11
POINT	P158	2021.27	2400.22	134.52	22.00	0.00E+0	293.00	16.95	0.44
POINT	P159	2018.11	2402.43	134.39	22.00	0.00E+0	293.00	16.95	0.44
POINT	P160	2024.43	2403.70	134.48	22.00	0.00E+0	293.00	20.72	0.44
POINT	P161	2021.58	2405.28	134.37	22.00	0.00E+0	293.00	20.72	0.44
POINT	P162	2019.69	2406.86	134.28	22.00	0.00E+0	293.00	20.72	0.44
POINT	P163	2017.79	2394.22	134.66	22.00	0,02676	293.00	15.51	0.44

# Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P164	2015.58	2396.11	134.56	22.00	0.00E+0	293.00	15.51	0.44
POINT	P165	1812.46	2559.78	130.17	22.00	0.00E+0	293.00	5.71	0.44
POINT	P166	1813.67	2558.27	130.17	22.00	0.00E+0	293.00	5.71	0.44
POINT	P167	1791.87	2537.76	129.72	10.50	0.00E+0	293.00	4.72	0.07
POINT	P168	1796.79	2539.49	129.82	10.50	0.00E+0	293.00	94.43	0.07
POINT	P169	2016.23	2458.37	132.40	6.40	0.00E+0	293.00	74.07	0.18
POINT	P170	2109.30	2384.94	135.76	6.40	0.00E+0	293.00	11.59	0.93
POINT	P171	1984.13	2376.95	134.89	24.50	0.00011	293.00	1.23	0.09
POINT	P172	1982.63	2163.77	136.81	9.40	0.00E+0	293.00	0.67	2.25
POINT	P173	2201.94	2434.22	135.37	7.30	0.00E+0	293.00	5.97	0.13
POINT	P174	1820.18	2315.38	132.94	9.50	0.00E+0	293.00	7.08	0.07
POINT	P175	1950.20	2520.46	130.49	9.40	0.00E+0	293.00	11.11	0.36
POINT	P176	1797.98	2542.70	129.87	1.00	0.00E+0	293.00	9.26	0.36

# Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P177	1798.51	2544.05	129.89	1.00	0.00E+0	293.00	9.26	0.36
POINT	P178	1794.00	2535.88	129.74	1.00	0.00E+0	293.00	9.26	0.36
POINT	P179	1812.31	2564.20	130.18	1.00	0.00E+0	293.00	12.50	0.16
POINT	P180	1812.59	2564.77	130.19	1.00	0.00E+0	293.00	12.50	0.16
POINT	P181	1794.86	2540.46	129.80	1.00	0.00E+0	293.00	10.74	0.64
POINT	P182	1793.71	2539.03	129.76	1.00	0.00E+0	293.00	10.74	0.64
POINT	P183	1944.85	2341.71	135.04	22.00	0.00E+0	293.00	20.72	0.44
POINT	P184	1943.07	2339.34	135.06	22.00	0.00E+0	293.00	20.72	0.44
POINT	P185	1941.29	2336.09	135.10	22.00	0.00E+0	293.00	20.72	0.44
POINT	P186	1965.37	2369.56	134.84	22.00	0.00E+0	293.00	23.23	0.44
POINT	P187	1963.96	2367.53	134.85	22.00	0.00E+0	293.00	23.23	0.44
POINT	P188	1741.12	2470.05	129.17	1.00	0.00E+0	293.00	16.33	0.44
POINT	P189	1738.16	2465.61	129.18	1.00	0.00E+0	293.00	16.33	0.44

# Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P190	1765.25	2503.52	129.06	1.00	0.00E+0	293.00	15.26	0.22
POINT	P191	1763.03	2500.40	129.07	1.00	0.00E+0	293.00	15.26	0.22
POINT	P192	1741.22	2472.81	129.14	1.00	0.00E+0	293.00	13.42	0.25
POINT	P193	1739.44	2469.25	129.16	1.00	0.00E+0	293.00	15.26	0.22
POINT	P194	1954.76	2355.43	134.94	22.00	0,00083	293.00	18.84	0.44
POINT	P195	1956.83	2358.88	134.91	22.00	0,00083	293.00	18.84	0.44
POINT	P196	1935.09	2329.55	135.17	22.00	0.00E+0	293.00	13.83	0.90
POINT	P197	1932.68	2325.75	135.25	22.00	0.00E+0	293.00	13.83	0.90
POINT	P198	1930.26	2321.96	135.32	22.00	0.00E+0	293.00	13.83	0.90
POINT	P199	1933.71	2320.23	135.40	22.00	0.00E+0	293.00	13.83	0.90
POINT	P200	1935.78	2323.34	135.34	22.00	0.00E+0	293.00	13.83	0.90
POINT	P201	2029.01	2566.30	130.74	9.40	0.00E+0	293.00	6.94	0.36
POINT	P202	2026.60	2562.08	130.78	9.40	0.00E+0	293.00	6.94	0.36



# Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P203	2022.99	2557.26	130.81	9.40	0.00E+0	293.00	6.94	0.36
POINT	P204	1971.84	2300.90	136.38	11.00	0.00014	293.00	3.61	0.38
POINT	P205	1969.74	2298.50	136.41	11.00	0.00014	293.00	3.61	0.38
POINT	P206	1974.54	2298.20	136.46	11.00	0.00014	293.00	3.61	0.38
POINT	P207	1972.74	2295.50	136.51	11.00	0.00014	293.00	3.61	0.38
POINT	P208	2061.66	2578.17	131.03	10.00	0.00E+0	293.00	7.22	0.09
POINT	P209	1905.02	2599.55	129.29	8.90	0.00E+0	293.00	15.63	0.16
POINT	P210	1882.27	2241.56	134.92	7.00	0.00E+0	293.00	16.93	0.56
POINT	P211	1884.94	2239.27	134.92	7.00	0.00E+0	293.00	16.93	0.56
POINT	P212	1714.59	2437.43	129.37	1.00	0.00E+0	293.00	14.01	0.28
POINT	P213	1716.94	2439.98	129.34	1.00	0.00E+0	293.00	14.01	0.28
POINT	P214	1981.36	2357.76	135.32	20.00	0.00E+0	293.00	21.43	0.70
POINT	P215	1984.74	2355.34	135.41	20.00	0.00E+0	293.00	21.43	0.70

# Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P216	1982.57	2351.47	135.46	20.00	0.00E+0	293.00	21.43	0.70
POINT	P217	1947.37	2185.05	135.52	3.50	0.00E+0	293.00	1.56	0.96
POINT	P218	1832.88	2307.58	133.33	3.50	0.00E+0	293.00	2.55	0.20
POINT	P219	1820.03	2314.00	132.95	3.50	0.00E+0	293.00	2.55	0.20
POINT	P220	1713.76	2241.94	132.64	10.60	0.00E+0	293.00	4.26	1.00
POINT	P221	1774.39	2316.97	132.42	10.65	0.00E+0	293.00	15.97	0.08
POINT	P222	1771.57	2319.25	132.37	5.00	0.00E+0	293.00	11.78	0.28
POINT	P223	1559.34	2417.38	129.06	10.00	0.00E+0	293.00	3.55	0.28
POINT	P224	1850.06	2098.68	135.53	24.70	0.00E+0	293.00	12.42	0.50
POINT	P225	1853.98	2096.07	135.60	24.70	0.00E+0	293.00	12.42	0.50
POINT	P226	1870.33	2080.37	136.21	24.70	0.00E+0	293.00	9.84	0.96
POINT	P227	1874.25	2077.75	136.37	24.70	0.00E+0	293.00	9.84	0.96
POINT	P228	1761.76	2213.14	133.60	4.50	0.00011	293.00	1.39	0.08

# Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P229	1771.57	2226.87	133.29	33.00	0,00011	293.00	1.39	0.08
POINT	P230	1798.15	1938.38	139.07	22.00	0.00E+0	293.00	12.50	0.80
POINT	P231	1788.57	1945.22	138.54	22.00	0.00E+0	293.00	12.50	0.80
POINT	P232	1765.30	1969.86	137.65	22.00	0.00E+0	293.00	4.91	1.43
POINT	P233	1751.61	1976.70	137.44	22.00	0.00E+0	293.00	4.91	1.43
POINT	P234	1744.77	1982.18	137.23	22.00	0.00E+0	293.00	4.91	1.43
POINT	P235	1876.42	2088.80	135.88	11.60	0.00E+0	293.00	16.35	0.56
POINT	P236	1879.79	2086.65	135.99	11.60	0.00E+0	293.00	16.35	0.56
POINT	P237	1882.56	2084.19	136.13	11.60	0.00E+0	293.00	16.35	0.56
POINT	P238	1826.99	2026.48	136.87	26.00	0,06000	293.00	17.34	3.46
POINT	P239	1823.61	2029.55	136.81	26.00	0,06000	293.00	17.34	3.46
POINT	P240	1736.41	1891.91	136.55	11.60	0.00E+0	293.00	14.81	0.45
POINT	P241	1739.52	1890.66	136.65	11.60	0.00E+0	293.00	14.81	0.45

# Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P242	1743.57	1888.17	136.78	11.60	0.00E+0	293.00	14.81	0.45
POINT	P243	1564.01	1955.24	134.52	2.00	0.00E+0	293.00	5.79	0.24
POINT	P244	1561.87	1950.10	134.67	2.00	0.00E+0	293.00	5.79	0.24
POINT	P245	1650.51	1923.48	135.00	11.20	0.00E+0	293.00	3.57	0.07
POINT	P246	1655.57	1917.86	135.02	11.20	0.00E+0	293.00	3.57	0.07
POINT	P247	1659.51	1916.17	135.02	11.20	0.00E+0	293.00	3.57	0.07
POINT	P248	1662.32	1914.48	135.02	11.20	0.00E+0	293.00	3.57	0.07
POINT	P249	1667.95	1911.11	135.01	11.20	0.00E+0	293.00	3.57	0.07
POINT	P250	1672.45	1906.61	135.10	11.20	0.00E+0	293.00	3.57	0.07
POINT	P251	1686.51	1896.48	135.37	11.60	0.00E+0	293.00	16.35	0.56
POINT	P252	1691.57	1891.42	135.51	11.60	0.00E+0	293.00	16.35	0.56
POINT	P253	1695.51	1888.61	135.61	11.60	0.00E+0	293.00	16.35	0.56
POINT	P254	1698.88	1885.80	135.70	24.00	0.00E+0	293.00	16.35	0.56

# Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P255	1701.70	1883.55	135.77	24.00	0.00E+0	293.00	16.35	0.56
POINT	P256	1705.63	1880.74	135.87	24.00	0.00E+0	293.00	16.35	0.56
POINT	P257	1409.98	1693.38	138.95	8.60	0.00E+0	293.00	7.10	0.27
POINT	P258	1411.89	1691.15	139.01	8.60	0.00E+0	293.00	8.10	0.24
POINT	P259	1408.39	1669.20	139.38	1.00	0.00E+0	293.00	5.44	0.24
POINT	P260	1469.16	1742.11	138.04	11.20	0.00E+0	293.00	7.14	0.07
POINT	P261	1471.43	1739.16	138.08	11.20	0.00E+0	293.00	7.14	0.07
POINT	P262	1473.47	1737.34	138.11	11.20	0.00E+0	293.00	7.14	0.07
POINT	P263	1475.97	1735.30	138.13	11.20	0.00E+0	293.00	7.14	0.07
POINT	P264	1478.70	1733.25	138.15	11.20	0.00E+0	293.00	7.14	0.07
POINT	P265	1480.97	1730.98	138.18	11.20	0.00E+0	293.00	7.14	0.07
POINT	P266	1483.46	1729.39	138.20	11.20	0.00E+0	293.00	7.14	0.07
POINT	P267	1487.10	1727.12	138.23	11.20	0.00E+0	293.00	7.14	0.07

# Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P268	1507.76	1711.23	138.46	11.20	0.00E+0	293.00	7.14	0.07
POINT	P269	1510.48	1709.19	138.48	11.20	0.00E+0	293.00	7.14	0.07
POINT	P270	1512.98	1706.46	138.54	11.20	0.00E+0	293.00	7.14	0.07
POINT	P271	1515.25	1704.42	138.58	11.20	0.00E+0	293.00	7.14	0.07
POINT	P272	1518.20	1702.60	138.61	11.20	0.00E+0	293.00	7.14	0.07
POINT	P273	1520.93	1700.56	138.65	11.20	0.00E+0	293.00	7.14	0.07
POINT	P274	1522.97	1698.52	138.69	11.20	0.00E+0	293.00	7.14	0.07
POINT	P275	1525.24	1696.25	138.74	11.20	0.00E+0	293.00	7.14	0.07
POINT	P276	1137.23	1890.92	134.04	3.00	0.00E+0	293.00	7.14	0.07
POINT	P277	1138.79	1889.36	134.09	3.00	0.00E+0	293.00	7.14	0.07
POINT	P278	1141.13	1887.80	134.16	3.00	0.00E+0	293.00	7.14	0.07
POINT	P279	1143.08	1886.24	134.22	3.00	0.00E+0	293.00	7.14	0.07
POINT	P280	1206.63	1837.88	135.55	3.00	0.00E+0	293.00	7.14	0.07

# Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P281	1208.71	1835.80	135.59	3.00	0.00E+0	293.00	7.14	0.07
POINT	P282	1309.31	1753.93	137.39	3.00	0.00E+0	293.00	7.14	0.07
POINT	P283	1311.74	1752.19	137.42	3.00	0.00E+0	293.00	7.14	0.07
POINT	P284	1299.13	1873.36	135.40	25.00	0.00E+0	293.00	9.38	0.80
POINT	P285	1302.63	1877.91	135.30	25.00	0.00E+0	293.00	9.38	0.80
POINT	P286	1452.31	2114.60	132.49	31.00	0.00E+0	293.00	0.00	0.79
POINT	P287	1449.89	2117.31	132.47	31.00	0.00E+0	293.00	0.00	0.79
POINT	P288	1363.50	2069.50	132.60	22.00	0.00E+0	293.00	40.68	0.28
POINT	P289	1366.92	2066.08	132.62	22.00	0.00E+0	293.00	40.68	0.28
POINT	P290	1647.37	2539.06	126.77	5.00	0.00E+0	293.00	0.00	0.20
POINT	P291	1321.45	2143.40	131.87	5.00	0.00E+0	293.00	0.00	0.20
POINT	P292	1797.80	2576.69	130.09	22.00	0.00E+0	293.00	0.00	0.28
POINT	P293	1795.02	2571.12	130.07	22.00	0.00E+0	293.00	0.00	0.28

# Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P66	2008.01	2388.74	134.68	32.00	0,89720	293.00	10.48	0.64
POINT	P67	2006.18	2385.09	134.77	32.00	0,03925	293.00	10.82	0.39
POINT	P68	2017.20	2411.82	134.07	30.00	0,00667	293.00	11.22	0.59
POINT	P69	2015.59	2409.39	134.11	30.00	0.00E+0	293.00	11.22	0.59
POINT	P71	1719.26	2596.76	126.44	8.00	0.00E+0	293.00	7.26	1.54
POINT	P72	1728.38	2588.59	126.75	8.00	0.00E+0	293.00	7.26	1.54
POINT	P73	2083.40	2635.59	130.59	5.00	0.00E+0	293.00	8.83	0.28
POINT	P74	1791.23	2701.89	127.47	14.00	0.00E+0	293.00	1.96	0.39
POINT	P75	1799.30	2709.42	127.52	14.00	0.00E+0	293.00	1.87	0.39
POINT	P76	1807.91	2718.03	127.58	14.00	0.00E+0	293.00	1.69	0.39
POINT	P77	1788.90	2545.96	129.74	5.00	0.00E+0	293.00	12.99	0.39
POINT	P78	1787.35	2542.48	129.62	5.00	0.00E+0	293.00	12.99	0.39
POINT	P81	1780.49	2647.09	128.45	12.50	0.00E+0	293.00	11.36	0.07



# Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P82	1775.86	2642.88	128.38	12.50	0.00E+0	293.00	12.35	0.07
POINT	P83	1772.07	2638.25	128.34	12.50	0.00E+0	293.00	13.43	0.07
POINT	P84	1977.68	2350.14	135.42	13.00	0,30033	293.00	9.24	1.13
POINT	P85	1973.11	2343.29	135.49	12.00	0,01257	293.00	6.45	0.28
POINT	P86	1971.29	2341.00	135.50	12.00	0,00836	293.00	9.17	0.28
POINT	P87	1970.22	2337.70	135.55	12.00	0,01650	293.00	10.74	0.28
POINT	P88	1967.68	2334.66	135.56	12.00	0,22304	293.00	11.16	0.28
POINT	P89	1972.23	2363.20	135.08	30.00	0,03327	293.00	11.76	0.57
POINT	P90	2000.44	2387.18	134.68	30.00	0,00900	293.00	11.76	0.57
POINT	P91	1786.19	2540.54	129.54	6.00	0.00E+0	293.00	11.31	0.44
POINT	P92	2113.39	2615.31	131.23	5.00	0.00E+0	293.00	11.76	0.57
POINT	P95	1975.40	2346.49	135.46	50.00	0,00400	293.00	1.15	3.46
POINT	P98	1608.28	2091.40	132.50	5.00	0.00E+0	293.00	39.46	0.28

# Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P99	1856.04	2542.91	130.29	26.00	0.00E+0	293.00	33.12	0.26