

# Source Pathway - Source Inputs

AERMOD

## Point Sources

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P100	1858.33	2540.23	130.31	26.00	0.00E+0	293.00	34.83	0.26
POINT	P101	1812.21	2722.33	127.64	14.00	0.00E+0	293.00	1.46	0.39
POINT	P102	1802.31	2690.88	127.51	14.00	0.00E+0	293.00	1.07	0.39
POINT	P103	1804.31	2693.99	127.47	14.00	0.00E+0	293.00	1.76	0.39
POINT	P104	1973.96	2364.74	135.07	30.00	0.00E+0	293.00	11.76	0.57
POINT	P105	1861.01	2538.33	130.33	26.00	0.00E+0	293.00	1.59	1.40
POINT	P106	1965.14	2331.10	135.57	32.00	0.00E+0	293.00	9.92	0.28
POINT	P107	1963.62	2327.04	135.64	32.00	0.00E+0	293.00	9.92	0.28
POINT	P108	1929.33	2320.40	135.34	42.00	0.00E+0	293.00	19.11	3.14
POINT	P109	1784.64	2538.99	129.44	5.00	0.00E+0	293.00	12.99	0.38
POINT	P110	1519.78	2412.08	128.56	5.00	0.00E+0	293.00	11.67	0.50
POINT	P111	1513.54	2403.34	128.59	5.00	0.00E+0	293.00	11.67	0.50

# Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P112	1477.32	2314.69	129.38	12.00	0.00E+0	293.00	13.33	0.50
POINT	P113	1482.32	2309.07	129.35	12.00	0.00E+0	293.00	13.33	0.50
POINT	P114	1906.47	2282.09	135.67	28.00	0.00E+0	293.00	11.60	0.79
POINT	P115	1913.28	2277.83	135.89	28.00	0.00E+0	293.00	11.60	0.79
POINT	P116	1887.62	2238.29	134.95	22.00	0.00E+0	293.00	11.67	0.50
POINT	P117	1894.38	2232.24	134.98	22.00	0.00E+0	293.00	11.67	0.50
POINT	P118	1730.69	2610.39	126.67	1.00	0.00E+0	293.00	0.00	0.03
POINT	P119	1732.54	2613.34	126.74	1.00	0.00E+0	293.00	0.00	0.03
POINT	P120	1734.02	2616.30	126.75	1.00	0.00E+0	293.00	0.00	0.03
POINT	P121	1506.02	2482.61	127.15	3.00	0.00E+0	293.00	0.00	0.01
POINT	P122	1507.60	2484.55	127.06	3.00	0.00E+0	293.00	0.00	0.01
POINT	P123	1509.01	2486.13	127.00	3.00	0.00E+0	293.00	0.00	0.01
POINT	P124	1511.47	2488.95	126.89	3.00	0.00E+0	293.00	0.00	0.01

# Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P125	1899.14	2255.53	135.53	44.00	0.00E+0	293.00	25.48	3.14
POINT	P126	1806.97	2696.65	127.48	14.00	0.00E+0	293.00	1.96	0.38
POINT	P127	1808.97	2698.64	127.49	14.00	0.00E+0	293.00	1.62	0.50
POINT	P128	1812.07	2701.75	127.54	14.00	0.00E+0	293.00	1.62	0.50
POINT	P129	1814.29	2703.97	127.58	14.00	0.00E+0	293.00	1.44	0.50
POINT	P130	1816.95	2706.85	127.61	14.00	0.00E+0	293.00	0.70	0.85
POINT	P131	1472.21	2015.82	132.96	9.00	0.00E+0	293.00	21.57	0.85
POINT	P132	1755.87	2181.36	134.27	8.00	0.00E+0	293.00	14.88	0.28
POINT	P133	1760.62	2178.07	134.49	8.00	0.00E+0	293.00	14.88	0.28
POINT	P134	1730.18	1898.45	136.32	24.80	0.00E+0	293.00	14.81	0.45
POINT	P135	1733.29	1895.03	136.44	25.80	0.00E+0	293.00	14.81	0.45
POINT	P136	1679.40	1934.90	135.01	23.75	0.00E+0	293.00	14.44	0.75
POINT	P137	1684.07	1931.79	135.05	23.75	0.00E+0	293.00	14.44	0.75

# Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P138	1687.19	1928.98	135.09	23.75	0.00E+0	293.00	14.44	0.75
POINT	P139	1265.54	1902.72	134.65	11.00	0.00E+0	293.00	14.44	0.75
POINT	P140	1272.77	1897.52	134.81	11.00	0.00E+0	293.00	14.44	0.75
POINT	P141	1279.54	1889.85	135.05	11.00	0.00E+0	293.00	14.44	0.75
POINT	P142	1468.69	2108.44	132.51	31.00	0.00E+0	293.00	0.00	0.51
POINT	P143	1471.92	2105.80	132.48	31.00	0.00E+0	293.00	0.00	0.51
POINT	P144	1474.27	2103.16	132.46	31.00	0.00E+0	293.00	0.00	0.79
POINT	P145	1459.90	2114.01	132.49	31.00	0.00E+0	293.00	0.00	0.79
POINT	P146	1457.55	2115.18	132.49	31.00	0.00E+0	293.00	0.00	0.79
POINT	P147	1681.00	2076.01	134.77	26.00	0.00E+0	293.00	17.34	3.46
POINT	P148	2035.57	2410.11	134.55	22.00	0.00E+0	293.00	13.98	1.11
POINT	P149	2025.03	2410.22	134.29	22.00	0.00E+0	293.00	13.98	1.11
POINT	P150	2049.69	2391.04	135.34	11.00	0.00E+0	293.00	12.23	0.64

# Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P151	2048.59	2387.75	135.38	11.00	0.00E+0	293.00	12.23	0.64
POINT	P152	2009.68	2384.46	134.81	22.00	0.00E+0	293.00	10.90	0.56
POINT	P153	2006.39	2379.53	134.94	22.00	0.00E+0	293.00	10.90	0.56
POINT	P154	2043.11	2379.53	135.47	11.00	0.00E+0	293.00	15.16	0.38
POINT	P155	2040.92	2376.24	135.50	11.00	0.00E+0	293.00	15.16	0.38
POINT	P156	1998.72	2371.86	135.15	22.00	0.00E+0	293.00	11.24	1.11
POINT	P157	1995.43	2367.47	135.25	22.00	0.00E+0	293.00	11.24	1.11
POINT	P158	2021.27	2400.22	134.52	22.00	0.00E+0	293.00	16.95	0.44
POINT	P159	2018.11	2402.43	134.39	22.00	0.00E+0	293.00	16.95	0.44
POINT	P160	2024.43	2403.70	134.48	22.00	0.00E+0	293.00	20.72	0.44
POINT	P161	2021.58	2405.28	134.37	22.00	0.00E+0	293.00	20.72	0.44
POINT	P162	2019.69	2406.86	134.28	22.00	0.00E+0	293.00	20.72	0.44
POINT	P163	2017.79	2394.22	134.66	22.00	0.00E+0	293.00	15.51	0.44

# Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P164	2015.58	2396.11	134.56	22.00	0.00E+0	293.00	15.51	0.44
POINT	P165	1812.46	2559.78	130.17	22.00	0.00E+0	293.00	5.71	0.44
POINT	P166	1813.67	2558.27	130.17	22.00	0.00E+0	293.00	5.71	0.44
POINT	P167	1791.87	2537.76	129.72	10.50	0.00E+0	293.00	4.72	0.07
POINT	P168	1796.79	2539.49	129.82	10.50	0.00E+0	293.00	94.43	0.07
POINT	P169	2016.23	2458.37	132.40	6.40	0.00E+0	293.00	74.07	0.18
POINT	P170	2109.30	2384.94	135.76	6.40	0.00E+0	293.00	11.59	0.93
POINT	P171	1984.13	2376.95	134.89	24.50	0.00E+0	293.00	1.23	0.09
POINT	P172	1982.63	2163.77	136.81	9.40	0.00E+0	293.00	0.67	2.25
POINT	P173	2201.94	2434.22	135.37	7.30	0.00E+0	293.00	5.97	0.13
POINT	P174	1820.18	2315.38	132.94	9.50	0.00E+0	293.00	7.08	0.07
POINT	P175	1950.20	2520.46	130.49	9.40	0.00E+0	293.00	11.11	0.36
POINT	P176	1797.98	2542.70	129.87	1.00	0.00E+0	293.00	9.26	0.36

# Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P177	1798.51	2544.05	129.89	1.00	0.00E+0	293.00	9.26	0.36
POINT	P178	1794.00	2535.88	129.74	1.00	0.00E+0	293.00	9.26	0.36
POINT	P179	1812.31	2564.20	130.18	1.00	0.00E+0	293.00	12.50	0.16
POINT	P180	1812.59	2564.77	130.19	1.00	0.00E+0	293.00	12.50	0.16
POINT	P181	1794.86	2540.46	129.80	1.00	0.00E+0	293.00	10.74	0.64
POINT	P182	1793.71	2539.03	129.76	1.00	0.00E+0	293.00	10.74	0.64
POINT	P183	1944.85	2341.71	135.04	22.00	0.00E+0	293.00	20.72	0.44
POINT	P184	1943.07	2339.34	135.06	22.00	0.00E+0	293.00	20.72	0.44
POINT	P185	1941.29	2336.09	135.10	22.00	0.00E+0	293.00	20.72	0.44
POINT	P186	1965.37	2369.56	134.84	22.00	0.00E+0	293.00	23.23	0.44
POINT	P187	1963.96	2367.53	134.85	22.00	0.00E+0	293.00	23.23	0.44
POINT	P188	1741.12	2470.05	129.17	1.00	0.00E+0	293.00	16.33	0.44
POINT	P189	1738.16	2465.61	129.18	1.00	0.00E+0	293.00	16.33	0.44

# Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P190	1765.25	2503.52	129.06	1.00	0.00E+0	293.00	15.26	0.22
POINT	P191	1763.03	2500.40	129.07	1.00	0.00E+0	293.00	15.26	0.22
POINT	P192	1741.22	2472.81	129.14	1.00	0.00E+0	293.00	13.42	0.25
POINT	P193	1739.44	2469.25	129.16	1.00	0.00E+0	293.00	15.26	0.22
POINT	P194	1954.76	2355.43	134.94	22.00	0.00E+0	293.00	18.84	0.44
POINT	P195	1956.83	2358.88	134.91	22.00	0.00E+0	293.00	18.84	0.44
POINT	P196	1935.09	2329.55	135.17	22.00	0.00E+0	293.00	13.83	0.90
POINT	P197	1932.68	2325.75	135.25	22.00	0.00E+0	293.00	13.83	0.90
POINT	P198	1930.26	2321.96	135.32	22.00	0.00E+0	293.00	13.83	0.90
POINT	P199	1933.71	2320.23	135.40	22.00	0.00E+0	293.00	13.83	0.90
POINT	P200	1935.78	2323.34	135.34	22.00	0.00E+0	293.00	13.83	0.90
POINT	P201	2029.01	2566.30	130.74	9.40	0.00E+0	293.00	6.94	0.36
POINT	P202	2026.60	2562.08	130.78	9.40	0.00E+0	293.00	6.94	0.36



# Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P203	2022.99	2557.26	130.81	9.40	0.00E+0	293.00	6.94	0.36
POINT	P204	1971.84	2300.90	136.38	11.00	0.00E+0	293.00	3.61	0.38
POINT	P205	1969.74	2298.50	136.41	11.00	0.00E+0	293.00	3.61	0.38
POINT	P206	1974.54	2298.20	136.46	11.00	0.00E+0	293.00	3.61	0.38
POINT	P207	1972.74	2295.50	136.51	11.00	0.00E+0	293.00	3.61	0.38
POINT	P208	2061.66	2578.17	131.03	10.00	0.00E+0	293.00	7.22	0.09
POINT	P209	1905.02	2599.55	129.29	8.90	0.00E+0	293.00	15.63	0.16
POINT	P210	1882.27	2241.56	134.92	7.00	0.00E+0	293.00	16.93	0.56
POINT	P211	1884.94	2239.27	134.92	7.00	0.00E+0	293.00	16.93	0.56
POINT	P212	1714.59	2437.43	129.37	1.00	0.00E+0	293.00	14.01	0.28
POINT	P213	1716.94	2439.98	129.34	1.00	0.00E+0	293.00	14.01	0.28
POINT	P214	1981.36	2357.76	135.32	20.00	0.00E+0	293.00	21.43	0.70
POINT	P215	1984.74	2355.34	135.41	20.00	0.00E+0	293.00	21.43	0.70

# Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P216	1982.57	2351.47	135.46	20.00	0.00E+0	293.00	21.43	0.70
POINT	P217	1947.37	2185.05	135.52	3.50	0.00E+0	293.00	1.56	0.96
POINT	P218	1832.88	2307.58	133.33	3.50	0.00E+0	293.00	2.55	0.20
POINT	P219	1820.03	2314.00	132.95	3.50	0.00E+0	293.00	2.55	0.20
POINT	P220	1713.76	2241.94	132.64	10.60	0.00E+0	293.00	4.26	1.00
POINT	P221	1774.39	2316.97	132.42	10.65	0.00E+0	293.00	15.97	0.08
POINT	P222	1771.57	2319.25	132.37	5.00	0.00E+0	293.00	11.78	0.28
POINT	P223	1559.34	2417.38	129.06	10.00	0.00E+0	293.00	3.55	0.28
POINT	P224	1850.06	2098.68	135.53	24.70	0.00E+0	293.00	12.42	0.50
POINT	P225	1853.98	2096.07	135.60	24.70	0.00E+0	293.00	12.42	0.50
POINT	P226	1870.33	2080.37	136.21	24.70	0.00E+0	293.00	9.84	0.96
POINT	P227	1874.25	2077.75	136.37	24.70	0.00E+0	293.00	9.84	0.96
POINT	P228	1761.76	2213.14	133.60	4.50	0.00E+0	293.00	1.39	0.08

# Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P229	1771.57	2226.87	133.29	33.00	0.00E+0	293.00	1.39	0.08
POINT	P230	1798.15	1938.38	139.07	22.00	0.00E+0	293.00	12.50	0.80
POINT	P231	1788.57	1945.22	138.54	22.00	0.00E+0	293.00	12.50	0.80
POINT	P232	1765.30	1969.86	137.65	22.00	0.00E+0	293.00	4.91	1.43
POINT	P233	1751.61	1976.70	137.44	22.00	0.00E+0	293.00	4.91	1.43
POINT	P234	1744.77	1982.18	137.23	22.00	0.00E+0	293.00	4.91	1.43
POINT	P235	1876.42	2088.80	135.88	11.60	0.00E+0	293.00	16.35	0.56
POINT	P236	1879.79	2086.65	135.99	11.60	0.00E+0	293.00	16.35	0.56
POINT	P237	1882.56	2084.19	136.13	11.60	0.00E+0	293.00	16.35	0.56
POINT	P238	1826.99	2026.48	136.87	26.00	0.00E+0	293.00	17.34	3.46
POINT	P239	1823.61	2029.55	136.81	26.00	0.00E+0	293.00	17.34	3.46
POINT	P240	1736.41	1891.91	136.55	11.60	0.00E+0	293.00	14.81	0.45
POINT	P241	1739.52	1890.66	136.65	11.60	0.00E+0	293.00	14.81	0.45

# Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P242	1743.57	1888.17	136.78	11.60	0.00E+0	293.00	14.81	0.45
POINT	P243	1564.01	1955.24	134.52	2.00	0.00E+0	293.00	5.79	0.24
POINT	P244	1561.87	1950.10	134.67	2.00	0.00E+0	293.00	5.79	0.24
POINT	P245	1650.51	1923.48	135.00	11.20	0.00E+0	293.00	3.57	0.07
POINT	P246	1655.57	1917.86	135.02	11.20	0.00E+0	293.00	3.57	0.07
POINT	P247	1659.51	1916.17	135.02	11.20	0.00E+0	293.00	3.57	0.07
POINT	P248	1662.32	1914.48	135.02	11.20	0.00E+0	293.00	3.57	0.07
POINT	P249	1667.95	1911.11	135.01	11.20	0.00E+0	293.00	3.57	0.07
POINT	P250	1672.45	1906.61	135.10	11.20	0.00E+0	293.00	3.57	0.07
POINT	P251	1686.51	1896.48	135.37	11.60	0.00E+0	293.00	16.35	0.56
POINT	P252	1691.57	1891.42	135.51	11.60	0.00E+0	293.00	16.35	0.56
POINT	P253	1695.51	1888.61	135.61	11.60	0.00E+0	293.00	16.35	0.56
POINT	P254	1698.88	1885.80	135.70	24.00	0.00E+0	293.00	16.35	0.56

# Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P255	1701.70	1883.55	135.77	24.00	0.00E+0	293.00	16.35	0.56
POINT	P256	1705.63	1880.74	135.87	24.00	0.00E+0	293.00	16.35	0.56
POINT	P257	1409.98	1693.38	138.95	8.60	0.00E+0	293.00	7.10	0.27
POINT	P258	1411.89	1691.15	139.01	8.60	0.00E+0	293.00	8.10	0.24
POINT	P259	1408.39	1669.20	139.38	1.00	0.00E+0	293.00	5.44	0.24
POINT	P260	1469.16	1742.11	138.04	11.20	0.00E+0	293.00	7.14	0.07
POINT	P261	1471.43	1739.16	138.08	11.20	0.00E+0	293.00	7.14	0.07
POINT	P262	1473.47	1737.34	138.11	11.20	0.00E+0	293.00	7.14	0.07
POINT	P263	1475.97	1735.30	138.13	11.20	0.00E+0	293.00	7.14	0.07
POINT	P264	1478.70	1733.25	138.15	11.20	0.00E+0	293.00	7.14	0.07
POINT	P265	1480.97	1730.98	138.18	11.20	0.00E+0	293.00	7.14	0.07
POINT	P266	1483.46	1729.39	138.20	11.20	0.00E+0	293.00	7.14	0.07
POINT	P267	1487.10	1727.12	138.23	11.20	0.00E+0	293.00	7.14	0.07

# Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P268	1507.76	1711.23	138.46	11.20	0.00E+0	293.00	7.14	0.07
POINT	P269	1510.48	1709.19	138.48	11.20	0.00E+0	293.00	7.14	0.07
POINT	P270	1512.98	1706.46	138.54	11.20	0.00E+0	293.00	7.14	0.07
POINT	P271	1515.25	1704.42	138.58	11.20	0.00E+0	293.00	7.14	0.07
POINT	P272	1518.20	1702.60	138.61	11.20	0.00E+0	293.00	7.14	0.07
POINT	P273	1520.93	1700.56	138.65	11.20	0.00E+0	293.00	7.14	0.07
POINT	P274	1522.97	1698.52	138.69	11.20	0.00E+0	293.00	7.14	0.07
POINT	P275	1525.24	1696.25	138.74	11.20	0.00E+0	293.00	7.14	0.07
POINT	P276	1137.23	1890.92	134.04	3.00	0.00E+0	293.00	7.14	0.07
POINT	P277	1138.79	1889.36	134.09	3.00	0.00E+0	293.00	7.14	0.07
POINT	P278	1141.13	1887.80	134.16	3.00	0.00E+0	293.00	7.14	0.07
POINT	P279	1143.08	1886.24	134.22	3.00	0.00E+0	293.00	7.14	0.07
POINT	P280	1206.63	1837.88	135.55	3.00	0.00E+0	293.00	7.14	0.07

# Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P281	1208.71	1835.80	135.59	3.00	0.00E+0	293.00	7.14	0.07
POINT	P282	1309.31	1753.93	137.39	3.00	0.00E+0	293.00	7.14	0.07
POINT	P283	1311.74	1752.19	137.42	3.00	0.00E+0	293.00	7.14	0.07
POINT	P284	1299.13	1873.36	135.40	25.00	0.00E+0	293.00	9.38	0.80
POINT	P285	1302.63	1877.91	135.30	25.00	0.00E+0	293.00	9.38	0.80
POINT	P286	1452.31	2114.60	132.49	31.00	0.00E+0	293.00	0.00	0.79
POINT	P287	1449.89	2117.31	132.47	31.00	0.00E+0	293.00	0.00	0.79
POINT	P288	1363.50	2069.50	132.60	22.00	0.00E+0	293.00	40.68	0.28
POINT	P289	1366.92	2066.08	132.62	22.00	0.00E+0	293.00	40.68	0.28
POINT	P290	1647.37	2539.06	126.77	5.00	0,02250	293.00	38.21	0.20
POINT	P291	1321.45	2143.40	131.87	5.00	0,02250	293.00	38.21	0.20
POINT	P292	1797.80	2576.69	130.09	22.00	0.00E+0	293.00	0.00	0.28
POINT	P293	1795.02	2571.12	130.07	22.00	0.00E+0	293.00	0.00	0.28

# Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P66	2008.01	2388.74	134.68	32.00	0.00E+0	293.00	10.48	0.64
POINT	P67	2006.18	2385.09	134.77	32.00	0.00E+0	293.00	10.82	0.39
POINT	P68	2017.20	2411.82	134.07	30.00	0.00E+0	293.00	11.22	0.59
POINT	P69	2015.59	2409.39	134.11	30.00	0.00E+0	293.00	11.22	0.59
POINT	P71	1719.26	2596.76	126.44	8.00	0.00E+0	293.00	7.26	1.54
POINT	P72	1728.38	2588.59	126.75	8.00	0.00E+0	293.00	7.26	1.54
POINT	P73	2083.40	2635.59	130.59	5.00	0.00E+0	293.00	8.83	0.28
POINT	P74	1791.23	2701.89	127.47	14.00	0.00E+0	293.00	1.96	0.39
POINT	P75	1799.30	2709.42	127.52	14.00	0.00E+0	293.00	1.87	0.39
POINT	P76	1807.91	2718.03	127.58	14.00	0.00E+0	293.00	1.69	0.39
POINT	P77	1788.90	2545.96	129.74	5.00	0.00E+0	293.00	12.99	0.39
POINT	P78	1787.35	2542.48	129.62	5.00	0.00E+0	293.00	12.99	0.39
POINT	P81	1780.49	2647.09	128.45	12.50	0.00E+0	293.00	11.36	0.07



# Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P82	1775.86	2642.88	128.38	12.50	0.00E+0	293.00	12.35	0.07
POINT	P83	1772.07	2638.25	128.34	12.50	0.00E+0	293.00	13.43	0.07
POINT	P84	1977.68	2350.14	135.42	13.00	0.00E+0	293.00	9.24	1.13
POINT	P85	1973.11	2343.29	135.49	12.00	0.00E+0	293.00	6.45	0.28
POINT	P86	1971.29	2341.00	135.50	12.00	0.00E+0	293.00	9.17	0.28
POINT	P87	1970.22	2337.70	135.55	12.00	0.00E+0	293.00	10.74	0.28
POINT	P88	1967.68	2334.66	135.56	12.00	0.00E+0	293.00	11.16	0.28
POINT	P89	1972.23	2363.20	135.08	30.00	0.00E+0	293.00	11.76	0.57
POINT	P90	2000.44	2387.18	134.68	30.00	0.00E+0	293.00	11.76	0.57
POINT	P91	1786.19	2540.54	129.54	6.00	0.00E+0	293.00	11.31	0.44
POINT	P92	2113.39	2615.31	131.23	5.00	0.00E+0	293.00	11.76	0.57
POINT	P95	1975.40	2346.49	135.46	50.00	0.00E+0	293.00	1.15	3.46
POINT	P98	1608.28	2091.40	132.50	5.00	0.00E+0	293.00	39.46	0.28

# Source Pathway - Source Inputs

AERMOD

Source Type	Source ID	X Coordinate [m]	Y Coordinate [m]	Base Elevation (Optional)	Release Height [m]	Emission Rate [g/s]	Gas Exit Temp. [K]	Gas Exit Velocity [m/s]	Stack Inside Diameter [m]
POINT	P99	1856.04	2542.91	130.29	26.00	0.00E+0	293.00	33.12	0.26